

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this transmittal of the below described document is being deposited with the United States Postal Service in an envelope bearing First Class Postage and addressed to the Commissioner for Patents P.O. Box 1450, Alexandria, VA 22313-1450, on the below date of deposit.

Date of Deposit:	09/12/05	Name of Person Making the Deposit:	Shannon Carmo	Signature of the Person Making the Deposit:	<i>Shannon Carmo</i>
------------------	----------	------------------------------------	---------------	---	----------------------

In re Application of: Nain YANG, et al.

Application No.: 10/758,173

Examiner: WILSON, Scott R.

Filed: 01/14/2004

Art Unit: 2826

Confirmation No.: 4822

For: IMPROVING ELECTROSTATIC DISCHARGE PERFORMANCE OF A SILICON STRUCTURE AND EFFICIENT USE OF AREA WITH ELECTROSTATIC DISCHARGE PROTECTIVE DEVICE UNDER THE PAD APPROACH AND ADJUSTMENT OF VIA CONFIGURATION THERETO TO CONTROL DRAIN JUNCTION RESISTANCE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

1. Transmitted herewith is an amendment for this application

☒ Transmitted herewith is a response to an office action for the above identified patent application.
(12 sheets)
☐ Transmitted herewith are sheets of formal drawings.
☐ Other:

2. Applicant is other than a small entity

Extension of Term

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply.

(a) ☐ Applicant petitions for an extension of time under 37 C.F.R. 1.136
(fees: 37 C.F.R. 1.17(a)-(d) for the total number of months checked below:)

<u>Extension</u>	<u>Fee</u>
<input type="checkbox"/> one month	\$110.00
<input type="checkbox"/> two months	\$430.00
<input type="checkbox"/> three months	\$980.00
<input type="checkbox"/> four months	\$1,530.00

Fee \$

If an additional extension of time is required, please consider this a petition therefor.

(b) ☒ Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

Fee Calculation

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

(for other than a small entity)					
Fee Items	Claims Remaining After Amendment	Highest Number of Claims Previously Paid For	Present Extra Claims	Fee Rate	Total
Total Claims	13	- 20 =		x \$18.00	\$0.00
Independent Claims	4	- 4 =		x \$88.00	\$0.00
Multiple Dependent Claim Fee (one or more, first added by this amendment)				\$300.00	\$0.00
Total Fees					\$0.00

PAYMENT OF FEES


5. The full fee due in connection with this communication is provided as follows:
- [x] The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085.
A duplicate copy of this authorization is enclosed.


Please direct all correspondence concerning the above-identified application to the following address:

WAGNER, MURABITO & HAO LLP
Two North Market Street, Third Floor
San Jose, California 95113
(408) 938-9060
Customer No: 45592

Respectfully submitted,

Date: September 12, 2005

By: 
Lawrence R. Goerke
Reg. No. 45,927



THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

YANG, Nian, et al.

Serial No. 10/758,173

Filing Date: January 14, 2004

For: IMPROVING ELECTROSTATIC
DISCHARGE PERFORMANCE OF A
SILICON STRUCTURE AND
EFFICIENT USE OF AREA WITH
ELECTROSTATIC DISCHARGE
PROTECTIVE DEVICE UNDER THE
PAD APPROACH AND ADJUSTMENT
OF VIA CONFIGURATION THERETO
TO CONTROL DRAIN JUNCTION
RESISTANCE

Examiner: WILSON, Scott R.

Art Unit: 2826

AMENDMENT AND RESPONSE TO OFFICE ACTION

Hon. Assistant Commissioner for Patents
P.O. Box No. 1450
Alexandria, Virginia 22313-1450

Sir:

In response to the Office Action mailed on July 12, 2005, please amend the
above captioned patent application as follows and consider the following remarks.

There are no amendments to the specification in this responsive paper.

The Amendments to the Claims are reflected in the listing of the Claims,
which begins on page 2 of this responsive paper.

The Remarks, with arguments, begin on page 8 of this responsive paper.